

TIPE WIRED BASE SOFTWARE LABORATORIUM BAHASA



MASTER SIDE

KOMPUTER MASTER

Processor : Intel® Core™ i5-13400
Memory : 8GB DDR4 SDRAM
Storage : 512 GB SSD PCI Express
Operating System : Windows 11 Home 64-bit
Monitor LED 21.5
Keyboard USB
Mouse USB

Acer



HEADSET TEACHER

Mic
Type : Condenser
Freq Response : 30 - 16.000 Hz
Impedence : 32Ω, Sensitivity : -58+/- -3dB
Earphone
Freq Response : 20 - 16.000 Hz
Impedance : 32Ω, Sensitivity : 105 dB/mW, Cable length : 1,5 m
Connector/plug : 3 pin

MGLab MG 888MV



APC

UPS 700 VA

Capacity 700 VA;
360 watt;
50/60Hz +/- 1 Hz;

MIC WIRELESS

Shure / sejenis

Frequency Stabilization : ± 30
Dynamic Range : >80dB
Total Harmonic Distortion : >0.5%
Frequency Response : 40Hz - 18KHz ± 3 dB
Signal-to-Noise Ratio : ≥ 100 dB
Signal/Noise Ratio : >82dB



MEJA MASTER

MGLab

Bahan : Particle Board 15mm
dengan laminasi PVC Sheet
warna Beach model U / Standart
Barang Buatan pabrik
(knock down system)
Ukuran model U : 210 x 120 x 75 cm
Ukuran model Standart : 180 x 80 x 75 cm



KURSI MASTER

MGLab

Kursi dapat diputar,
memiliki sandaran lengan,
tinggi dapat diatur.



SWITCH HUB

TP-Link

- 24 10/100/1000Mbps ports
- Innovative energy-efficient technology saves power consumption
- Supports MAC address self-learning, Auto MDI/MDIX and Auto negotiation
- Plug & play design



ARION
INDONESIA

www.arionindonesia.co.id
Jl. Lodan 129 Malang
info@arionindonesia.id

STUDENT SIDE

STUDENT COMPUTER

Acer

Intel Core i3-10105;
RAM 4GB DDR4;
HDD 1TB;
Intel UHD Graphics 630;
DVD RW; Display 19,5 inch; Keyboard Mouse;
Win 10 Home



HEADSET SISWA

MGLab MG 888MV

Mic

Type : Condenser
Freq Response : 30 - 16.000 Hz
Impedance : 32Ω
Sensitivity : -58 +/- 3dB

Earphone

Freq Response : 20 - 16.000 Hz
Impedance : 32Ω
Sensitivity : 1053m
Cable length : 1,5 m
Connector/plug : 3 pin



STUDENT CHAIR

Fortuner

Bahan stainless steel,
jenis lipat (Folding Chair)
Tinggi : 810 mm
Lebar : 375 mm,
Panjang : 395 mm



MEJA KOMPUTER SISWA

MGLab

Untuk tipe Base Software/Multi Edu
Bahan: Particle Board 15 mm dengan
laminasi PVC Sheet
warna Beech dengan kaca & nomor
siswa di bagian depan
Ukuran: 73 x 54 x 90 cm
Barang buatan pabrik
(Knock Down System)



UPS 1200 VA

APC

Capacity 1200 VA; 720 watt; 50/60Hz +/- 1 Hz;



KELENGKAPAN

INSTALASI KABEL AUDIO dan POWER

MGLab

Kabel : LAN
Connector : Rj45, Kabel RCA, Kabel Listrik




BOX STAGE MASTER dan BOX STAGE KABEL

MGLab

Box Stage Master bahan multiplex
dilapisi karpet, ukuran 240x180x20 cm

Box Stage Kabel bahan multiplex dilapisi
karpet, ukuran 240x60x12 cm



KARPET + PEMASANGAN

Jawa

Bahan terbuat dari serabut plastik, tebal 4mm
Polypropylene, Lebar 4 meter dan panjang
mengikuti ukuran ruangan lab & dilapisi karpet



LCD PROJECTOR 3600 Lumens

+ Wall Screen + pasang

Benq / Epson

Sistem Projector : DLP Technology
Resolusi Native : SVGA (800 x 600)
Brightness : 3600 Lumens
Rasio Kontras : 20,000:1
Rasio Aspek : 4:3
Rasio Besaran (Zoom) : 1.1:1
Tipe Lampu : 200W
Kesesuaian Video : NTSC, PAL, SECAM
Daya / Power : AC100 to 240V, 50/60Hz
Dimensi (WxHxD)(mm): 296 x 120 x 221



ROOM SPEAKER

MGLab

Speaker Size : 8 inch (Three Way)
Power : 20.000 PMPO



SOFTWARE LAB BAHASA MULTIMEDIA

Fitur MGLab Netlux Ace – CMS

TEACHER SIDE

- Screen Broadcast
- Voice Broadcast
- External Device Live Show
- Speak
- Intercom
- Quiz
- Test
- Student Demonstration
- Net Movie
- Camera
- Silence On/Off
- Thumbnail
- Login/Auto Login
- Detailed View
- Class Model
- Sign In
- Event
- Message
- Response and Competition
- Interactive Whiteboard
- Survey
- File Distribution
- File Submission
- Group Teaching
- Group Chat/ Topic Chat
- Remote Setting
- Remote Command
- Remote Startup/ Shut Down/ Reboot
- Application Policy
- Web Policy
- USB Policy
- Printer Policy
- Hand Up
- Voice Broadcast
- Monitor and Control

STUDENT SIDE

- Receiving Screen Broadcast
- Sending Student Demonstration
- Net Movie
- Camera
- Monitor
- Control
- Thumbnail
- Silence On/Off
- Hands Up
- Sign In
- Receiving Document
- Submitting Document
- Survey
- Group Teaching
- Group Chat
- Remote Setting
- Remote Command
- Remote Shut Down/ Reboot
- Response and Competition
- Application Policy
- Web Policy
- USB Policy
- Print Policy

TIPE WIRED BASE SOFTWARE LABORATORIUM BAHASA



MASTER SIDE

KOMPUTER MASTER

Processor : Intel® Core™ i5-13400
Memory : 8GB DDR4 SDRAM
Storage : 512 GB SSD PCI Express
Operating System : Windows 11 Home 64-bit
Monitor LED 21.5
Keyboard USB
Mouse USB

Acer



HEADSET TEACHER

Mic
Type : Condenser
Freq Response : 30 - 16.000 Hz
Impedence : 32Ω, Sensitivity : -58+/- -3dB

Earphone
Freq Response : 20 - 16.000 Hz
Impedance : 32Ω, Sensitivity : 105 dB/mW, Cable length : 1,5 m
Connector/plug : 3 pin

MGLab MG 888MV



UPS 700 VA

APC



Capacity 700 VA 160-240V, AC 50Hz +
input voltage 10%, output voltage 220V,
AC 50Hz

MIC WIRELESS

Shure / sejenis

Frequency Stabilization : $< \pm 30$
Dynamic Range : $> 80\text{dB}$
Total Harmonic Distortion : $> 0.5\%$
Frequency Response : 40Hz - 18KHz $\pm 3\text{dB}$
Signal-to-Noise Ratio : $\geq 100\text{dB}$
Signal/Noise Ratio : $> 82\text{dB}$



MEJA MASTER

Bahan : Particle Board 15mm
dengan laminasi PVC Sheet
warna Beach model U / Standart
Barang Buatan pabrik
(knock down system)
Ukuran model U : 210 x 120 x 75 cm
Ukuran model Standart : 180 x 80 x 75 cm

MGLab



KURSI MASTER

Kursi dapat diputar,
mempunyai sandaran lengan,
tinggi dapat diatur.

MGLab



SWITCH HUB

FEATURES

Number of Ports: 16 10/100BASE-TX
MAC Address Table: 8k
Switch Fabric: 3.2Gbps
Buffer Memory: 160KB
Transmission Method: Store-and-forward

TP-Link



NETWORK DATA TRANSFER RATE

Ethernet: 10Mbps (Half-duplex)
Ethernet: 20Mbps (Full-duplex)
Fast Ethernet: 100Mbps (Half-duplex)
Fast Ethernet: 200Mbps (Full-duplex)

POWER CONSUMPTION

6 Watts Max

POWER SUPPLY

Internal Power Supply: 100 - 240 VAC, 50/60Hz

OPERATING TEMPERATURE

32°F to 104°F (0°C to 40°C)



ARION INDONESIA

www.arionindonesia.co.id
Jl .Lodan 129 Malang
info@arionindonesia.id

STUDENT SIDE

STUDENT COMPUTER

Intel Core i3-10105;
RAM 4GB DDR4;
HDD 1TB;
Intel UHD Graphics 630;
DVD RW; Display 19,5 inch; Keyboard Mouse;
Win 10 Home

Acer



HEADSET SISWA

MG 888MV



Mic
Type : Condenser
Freq Response : 30 - 16.000 Hz
Impedance : 32Ω
Sensitivity : -58 +/- - 3dB

Earphone
Freq Response : 20 - 16.000 Hz
Impedance : 32Ω
Sensitivity : 105dB
Cable length : 1,5 m
Connector/plug : 3 pin

STUDENT CHAIR

Bahan stainless steel,
jenis lipat (Folding Chair)
Tinggi : 810 mm
Lebar : 375 mm,
Panjang : 395 mm

Fortuner



MEJA KOMPUTER SISWA

MGLab

Untuk tipe Base Software/Multi Edu
Bahan: Particle Board 15 mm dengan
laminasi PVC Sheet
warna Beech dengan kaca & nomor
siswa di bagian depan
Ukuran: 73 x 54 x 90 cm
Barang buatan pabrik
(Knock Down System)



UPS 1200 VA

APC

Capacity: 1200 VA



KELENGKAPAN

INSTALASI KABEL AUDIO dan POWER

Kabel : LAN
Connector : Rj45, Kabel RCA, Kabel Listrik



BOX STAGE MASTER dan BOX STAGE KABEL

Box Stage Master bahan multiplex
dilapisi karpet, ukuran 240x180x20 cm
Box Stage Kabel bahan multiplex dilapisi
karpet, ukuran 240x60x12 cm



KARPET + PEMASANGAN

Jawa

Bahan terbuat dari serabut plastik, tebal 4mm
Polypropylene, Lebar 4 meter dan panjang
mengikuti ukuran ruangan lab & dilapisi karpet



LCD PROJECTOR 3600 Lumens

+ Wall Screen + pasang Benq / Epson

Sistem Projector : DLP Technology
Resolusi Native : SVGA (800 x 600)
Brightness : 3600 Lumens
Rasio Kontras : 20,000:1
Rasio Aspek : 4:3
Rasio Besaran (Zoom) : 1.1:1
Tipe Lampu : 200W
Kesesuaian Video : NTSC, PAL, SECAM
Daya / Power : AC100 to 240V, 50/60Hz
Dimensi (WxHxD)(mm): 296 x 120 x 221



ROOM SPEAKER

Speaker Size : 8 inch (Three Way)
Power : 20.000 PMPO

MGLab



SOFTWARE LAB BAHASA MULTIMEDIA

Fitur MGLab Netlux Ace - DLL

TEACHER SIDE

- Screen Broadcast
- Voice Broadcast
- External Device Live Show
- Repeater
- Oral Training
- Visual Communication
- Voide Monitor/ Record
- Silumtaneous Interpretarion
- Conference Call
- Quiz
- Test
- Student Demonstration
- Oral Exam
- Net Movie
- Camera
- Silence On/Off
- Thumbnail
- Login/Auto Login
- Detailed View
- Class Model
- Sign In
- Event
- Message
- Response and Competition
- Survey
- File Distribution
- File Submission
- Group Teaching
- Group Chat/ Topic Chat
- Remote Setting
- Remote Command
- Remote Startup/ Shut Down/ Reboot
- Remote Voice Recording
- Teaching Recording
- Student Recording
- Voice Device Detection
- Application Policy
- Web Policy
- USB Policy
- Printer Policy
- Hand Up
- Voice Broadcast
- Monitor and Control

STUDENT SIDE

- Receiving Screen Broadcast
- Sending Student Demonstration
- Net Movie
- Camera
- Monitor
- Control
- Thumbnail
- Silence On/Off
- Hands Up
- Sign In
- Receiving Document
- Submitting Document
- Survey
- Group Teaching
- Group Chat
- Remote Setting
- Remote Command
- Remote Shut Down/ Reboot
- Interactive Whiteboard
- Response and Competition
- Application Policy
- Web Policy
- USB Policy
- Print Policy

TIPE WIRELESS BASE SOFTWARE LABORATORIUM BAHASA



MASTER SIDE

KOMPUTER MASTER

Processor : Intel® Core™ i5-13400
Memory : 8GB DDR4 SDRAM
Storage : 512 GB SSD PCI Express
Operating System : Windows 11 Home 64-bit
Monitor LED 21.5
Keyboard USB
Mouse USB

Acer



HEADSET TEACHER

Mic

Type : Condenser
Freq Response : 30 - 16.000 Hz
Impedance : 32Ω, Sensitivity : -58+/- -3dB

Earphone

Freq Response : 20 - 16.000 Hz
Impedance : 32Ω, Sensitivity : 105 dB/mW, Cable length : 1,5 m
Connector/plug : 3 pin

MG 888MV



APC

UPS 700 VA

Capacity 700 VA;
360 watt;
50/60Hz +/- 1 Hz;

MIC WIRELESS

Shure / sejenis

Frequency Stabilization : <±30
Dynamic Range : >80dB
Total Harmonic Distortion : >0.5%
Frequency Response : 40Hz - 18KHz ±3dB
Signal-to-Noise Ratio : ≥ 100dB
Signal/Noise Ratio : >82dB



MEJA MASTER

MGLab

Bahan : Particle Board 15mm
dengan laminasi PVC Sheet
warna Beach model U / Standart
Barang Buatan pabrik
(knock down system)
Ukuran model U : 210 x 120 x 75 cm
Ukuran model Standart : 180 x 80 x 75 cm



KURSI MASTER

MGLab

Kursi dapat diputar,
mempunyai sandaran lengan,
tinggi dapat diatur.



ACCESS POINT WIRELESS

TP-Link

Access Point + Router, support 802 11b/g
2 (Two) Access Point, masing-masing
untuk 9 (sembilan) komputer client
4-ports LAN 10/100Mbps
1 Port WAN, Auto MDI/MDI-X
Universal Repeater & WDS
Detachable Dipole Antenna, Wireless client isolation,
WPA, WPA-PSK, WPA2, WPA2-PSK, support & WEP 64/128-bit
Repeater to increase wireless coverage
Access Point, Router, Gateway, Bridge, Access Point repeater &
Access Point Client. Web-based Management.
Termasuk aksesoris instalasi LAN, setiap 9 (sembilan)
komputer dihandle oleh 1 access Point



ARION INDONESIA

www.arionindonesia.co.id
Jl. Lodan 129 Malang
info@arionindonesia.id

STUDENT SIDE

STUDENT COMPUTER

Intel Core i3-10105;
RAM 4GB DDR4;
HDD 1TB;
Intel UHD Graphics 630;
DVD RW; Display 19,5 inch; Keyboard Mouse;
Win 10 Home

Acer



HEADSET SISWA

MG 888MV



Mic
Type : Condenser
Freq Response : 30 - 16.000 Hz
Impedance : 32Ω
Sensitivity : -58 +/- 3dB

Earphone
Freq Response : 20 - 16.000 Hz
Impedance : 32Ω
Sensitivity : 1053m
Cable length : 1,5 m
Connector/plug : 3 pin

STUDENT CHAIR

Bahan stainless steel,
jenis lipat (Folding Chair)
Tinggi : 810 mm
Lebar : 375 mm,
Panjang : 395 mm

Fortuner



MEJA KOMPUTER SISWA

MGLab



Untuk tipe Base Software/Multi Edu
Bahan: Particle Board 15 mm dengan laminasi PVC Sheet warna Beech dengan kaca & nomor siswa di bagian depan
Ukuran: 73 x 54 x 90 cm
Barang buatan pabrik (Knock Down System)

UPS 1200 VA

APC

Capacity 1200 VA; 720 watt; 50/60Hz +/- 1 Hz;



KELENGKAPAN

INSTALASI KABEL AUDIO dan POWER



Kabel : LAN
Connector : Rj45, Kabel RCA, Kabel Listrik

BOX STAGE MASTER dan BOX STAGE KABEL

Box Stage Master bahan multiplex dilapisi karpet, ukuran 240x180x20 cm
Box Stage Kabel bahan multiplex dilapisi karpet, ukuran 240x60x12 cm



KARPET + PEMASANGAN



Jawa

Bahan terbuat dari serabut plastik, tebal 4mm Polypropylene, Lebar 4 meter dan panjang mengikuti ukuran ruangan lab & dilapisi karpet

LCD PROJECTOR 3600 Lumens

+ Wall Screen + pasang

Benq / Epson



Sistem Projector : DLP Technology
Resolusi Native : SVGA (800 x 600)
Brightness : 3600 Lumens
Rasio Kontras : 20,000:1
Rasio Aspek : 4:3
Rasio Besaran (Zoom) : 1.1:1
Tipe Lampu : 200W
Kesesuaian Video : NTSC, PAL, SECAM
Daya / Power : AC100 to 240V, 50/60Hz
Dimensi (WxHxD)(mm): 296 x 120 x 221

ROOM SPEAKER

Speaker Size : 8 inch (Three Way)
Power : 20.000 PMPO

MGLab



SOFTWARE LAB BAHASA MULTIMEDIA

Fitur MGLab Netlux Ace – CMS

TEACHER SIDE

- Screen Broadcast
- Voice Broadcast
- External Device Live Show
- Speak
- Intercom
- Quiz
- Test
- Student Demonstration
- Net Movie
- Camera
- Silence On/Off
- Thumbnail
- Login/Auto Login
- Detailed View
- Class Model
- Sign In
- Event
- Message
- Response and Competition
- Interactive Whiteboard
- Survey
- File Distribution
- File Submission
- Group Teaching
- Group Chat/ Topic Chat
- Remote Setting
- Remote Command
- Remote Startup/ Shut Down/ Reboot
- Application Policy
- Web Policy
- USB Policy
- Printer Policy
- Hand Up
- Voice Broadcast
- Monitor and Control

STUDENT SIDE

- Receiving Screen Broadcast
- Sending Student Demonstration
- Net Movie
- Camera
- Monitor
- Control
- Thumbnail
- Silence On/Off
- Hands Up
- Sign In
- Receiving Document
- Submitting Document
- Survey
- Group Teaching
- Group Chat
- Remote Setting
- Remote Command
- Remote Shut Down/ Reboot
- Response and Competition
- Application Policy
- Web Policy
- USB Policy
- Print Policy

TIPE WIRELESS BASE SOFTWARE LABORATORIUM BAHASA



MASTER SIDE

KOMPUTER MASTER

Processor : Intel® Core™ i5-13400
Memory : 8GB DDR4 SDRAM
Storage : 512 GB SSD PCI Express
Operating System : Windows 11 Home 64-bit
Monitor LED 21.5
Keyboard USB
Mouse USB

Acer



HEADSET TEACHER

MGLab MG 888MV

Mic

Type : Condenser
Freq Response : 30 - 16.000 Hz
Impedance : 32Ω, Sensitivity : -58+/- -3dB

Earphone

Freq Response : 20 - 16.000 Hz
Impedance : 32Ω, Sensitivity : 105 dB/mW, Cable length : 1,5 m
Connector/plug : 3 pin



APC

UPS 700 VA

Capacity 700 VA;
360 watt;
50/60Hz +/- 1 Hz;

MIC WIRELESS

Shure / sejenis

Frequency Stabilization : $< \pm 30$
Dynamic Range : > 80 dB
Total Harmonic Distortion : $> 0.5\%$
Frequency Response : 40Hz - 18KHz ± 3 dB
Signal-to-Noise Ratio : ≥ 100 dB
Signal/Noise Ratio : > 82 dB



MEJA MASTER

MGLab

Bahan : Particle Board 15mm
dengan laminasi PVC Sheet
warna Beach model U / Standart
Barang Buatan pabrik
(knock down system)
Ukuran model U : 210 x 120 x 75 cm
Ukuran model Standart : 180 x 80 x 75 cm



KURSI MASTER

MGLab

Kursi dapat diputar,
mempunyai sandaran lengan,
tinggi dapat diatur.



ACCESS POINT WIRELESS

Access Point + Router, support 802 11b/g
2 (Two) Access Point, masing-masing
untuk 9 (sembilan) komputer client
4-ports LAN 10/100Mbps
1 Port WAN, Auto MDI/MDI-X
Universal Repeater & WDS
Detachable Dipole Antenna, Wireless client isolation,
WPA, WPA-PSK, WPA2, WPA2-PSK, support & WEP 64/128-bit
Repeater to increase wireless coverage
Access Point, Router, Gateway, Bridge, Access Point repeater &
Access Point Client. Web-based Management.
Termasuk aksesoris instalasi LAN, setiap 9 (sembilan)
komputer dihandle oleh 1 access Point



ARION INDONESIA

www.arionindonesia.co.id
Jl. Lodan 129 Malang
info@arionindonesia.id

STUDENT SIDE

STUDENT COMPUTER

Intel Core i3-10105;
RAM 4GB DDR4;
HDD 1TB;
Intel UHD Graphics 630;
DVD RW; Display 19,5 inch; Keyboard Mouse;
Win 10 Home

Acer



HEADSET SISWA

MGLab MG 888MV

Mic

Type : Condenser
Freq Response : 30 - 16.000 Hz
Impedance : 32Ω
Sensitivity : -58 +/- 3dB

Earphone

Freq Response : 20 - 16.000 Hz
Impedance : 32Ω
Sensitivity : 1053m
Cable length : 1,5 m
Connector/plug : 3 pin

STUDENT CHAIR

Bahan stainless steel,
jenis lipat (Folding Chair)
Tinggi : 810 mm
Lebar : 375 mm,
Panjang : 395 mm



MEJA KOMPUTER SISWA

MGLab

Untuk tipe Base Software/Multi Edu
Bahan: Particle Board 15 mm dengan
laminasi PVC Sheet
warna Beech dengan kaca & nomor
siswa di bagian depan
Ukuran: 73 x 54 x 90 cm
Barang buatan pabrik
(Knock Down System)

UPS 1200 VA

APC

Capacity 1200 VA; 720 watt; 50/60Hz +/- 1 Hz;

KELENGKAPAN

INSTALASI KABEL AUDIO dan POWER



Kabel : LAN

Connector : Rj45, Kabel RCA, Kabel Listrik

BOX STAGE MASTER dan BOX STAGE KABEL

Box Stage Master bahan multiplex
dilapisi karpet, ukuran 240x180x20 cm

Box Stage Kabel bahan multiplex dilapisi
karpet, ukuran 240x60x12 cm



KARPET + PEMASANGAN



Jawa

Bahan terbuat dari serabut plastik, tebal 4mm
Polypropylene, Lebar 4 meter dan panjang
mengikuti ukuran ruangan lab & dilapisi karpet

LCD PROJECTOR 3600 Lumens

+ Wall Screen + pasang

Benq / Epson



Sistem Projector : DLP Technology
Resolusi Native : SVGA (800 x 600)
Brightness : 3600 Lumens
Rasio Kontras : 20,000:1
Rasio Aspek : 4:3
Rasio Besaran (Zoom) : 1.1:1
Tipe Lampu : 200W
Kesesuaian Video : NTSC, PAL, SECAM
Daya / Power : AC100 to 240V, 50/60Hz
Dimensi (WxHxD)(mm): 296 x 120 x 221

ROOM SPEAKER

Speaker Size : 8 inch (Three Way)
Power : 20.000 PMPO

MGLab



SOFTWARE LAB BAHASA MULTIMEDIA

Fitur MGLab Netlux Ace - DLL

TEACHER SIDE

- Screen Broadcast
- Voice Broadcast
- External Device Live Show
- Repeater
- Oral Training
- Visual Communication
- Voice Monitor/ Record
- Simultaneous Interpretation
- Conference Call
- Quiz
- Test
- Student Demonstration
- Oral Exam
- Net Movie
- Camera
- Silence On/Off
- Thumbnail
- Login/Auto Login
- Detailed View
- Class Model
- Sign In
- Event
- Message
- Response and Competition
- Survey
- File Distribution
- File Submission
- Group Teaching
- Group Chat/ Topic Chat
- Remote Setting
- Remote Command
- Remote Startup/ Shut Down/ Reboot
- Remote Voice Recording
- Teaching Recording
- Student Recording
- Voice Device Detection
- Application Policy
- Web Policy
- USB Policy
- Printer Policy
- Hand Up
- Voice Broadcast
- Monitor and Control

STUDENT SIDE

- Receiving Screen Broadcast
- Sending Student Demonstration
- Net Movie
- Camera
- Monitor
- Control
- Thumbnail
- Silence On/Off
- Hands Up
- Sign In
- Receiving Document
- Submitting Document
- Survey
- Group Teaching
- Group Chat
- Remote Setting
- Remote Command
- Remote Shut Down/ Reboot
- Interactive Whiteboard
- Response and Competition
- Application Policy
- Web Policy
- USB Policy
- Print Policy